



CABLED PULLOVER

designed by Cornelia Hamilton



SIZES Small (Medium, Large, X-Large)

KNITTED MEASUREMENTS

- Bust 34½ (38½, 42½, 46½)"/87.5 (98, 108, 118) cm
- Length 17½"/44.5 cm to underarm

Note: The measurements in chart on page 3 for Front/Back bottom edge should be: 25¼ (28¼, 31¼, 34¼)".

MATERIALS

- 17 (19, 21, 23) 1.75oz/50g balls (137 yds/125 m) Filatura Di Crosa ZARA 100% merino wool in #1709 denim tweed
 - One pair size 7 (4.5mm) needles
- OR SIZE TO OBTAIN GAUGE**
- One each size 7 (4.5mm) circular needle, 40"/100cm, 32"/80cm, 24"/60cm, and 16"/40cm long, for yoke and neck
 - Cable needle (cn)
 - Stitch marker
 - Yarn needle

GAUGE

20 sts and 28 rows = 4"/10 cm in St st

TAKE TIME TO CHECK GAUGE

SPECIAL TERMS

C4F: Slip 2 sts to cn, hold to front, k2, k2 from cn.

T4B: Slip 2 sts to cn, hold to back, k2, p2 from cn.

T4F: Slip 2 sts to cn, hold to front, p2, k2 from cn.

T3B: Slip 1 st to cn, hold to back, k2, p1 from cn.

T3F: Slip 2 sts to cn, hold to front, p1, k2 from cn.

PATTERN STITCHES

Small Cable (panel of 4 sts)

Rows 1 and 3: P4.

Row 2: K4.

Row 4: C4F.

Rep Rows 1-4 for Small Cable.

Large Cable (panel of 18 sts; dec to panel of 12 sts)

Row 1: (WS) K7, p4, k7.

Rows 2 and 6: P7, k4, p7.

Row 3 and all WS rows: Knit the knit sts and purl the purl sts as they face you.

Rows 4 and 8: P7, C4F, p7.

Row 10: P5, T4B, T4F, p5.

Row 12: P3, T4B, p4, T4F, p3.

Row 14: P2, T3B, p8, T3F, p2.

Row 16, 18, 20, and 22: Rep Row 3.

Row 24: P2, T3F, p8, T3B, p2.

Row 26: P3, T4F, p4, T4B, p3.

Row 28: P5, T4F, T4B, p5.

Row 30 (Dec Row 1): P2tog, p5, C4F, p5, p2tog – 16 sts remain.

Rows 32 and 36: Rep Row 3.

Rows 34 and 38: P6, C4F, p6.

Row 40: P4, T4B, T4F, p4.

Row 42: P3, T3B, p4, T3F, p3.

Row 44: P2, T3B, p6, T3F, p2.

Rows 46, 48, and 50: Rep Row 3.

Row 52: P2, T3F, p6, T3B, p2.

Row 54: P3, T3F, p4, T3B, p3.

Row 56: P4, T4F, T4B, p4.

Row 58: Rep Row 34.

Rows 59-85: Rep Rows 31-57.

Row 86 (Dec Row 2): P2tog, p4, C4F, p4, p2tog – 14 sts remain.

Rows 88 and 92: Rep Row 3.

Rows 90 and 94: P5, C4F, p5.

Row 96: P3, T4B, T4F, p3.

Row 98: P2, T3B, p4, T3F, p2.

Rows 100 and 102: Rep Row 3.

Row 104: P2, T3F, p4, T3B, p2.

Row 106: P3, T4F, T4B, p3.

Row 108: Rep Row 90.

Rows 109-129: Rep Rows 87-107.

Row 130 (Dec Row 3): P2tog, p3, C4F, p3, p2tog – 12 sts remain.

Rows 132 and 136: Rep Row 3.

Row 134: P4, C4F, p4.

Row 137: Knit the knit sts and purl the purl sts as they face you.

Yoke Small Cable (panel of 4 sts)

Rnds 1 and 2: K4.

Rnd 3: C4F.

Rnd 4: K4.

Rep Rnds 1-4 for Yoke Small Cable.

Yoke Large Cable (panel of 12 sts; dec to 1 st)

Rnd 1: P4, k4, p4.

Rnds 2, 4-6, 8, 10, 12-14, 16, and 18: Knit the knit sts and purl the purl sts as they face you.

Rnds 3 and 7: P4, C4F, p4.

Rnd 9: P2, T4B, T4F, p2.

Rnd 11: P1, T3B, p4, T3F, p1.

Rnd 15: P1, T3F, p4, T3B, p1.

Rnd 17: P2, T4F, T4B, p2.

Rnd 19: Rep Rnd 3.

Rnd 20 (Dec Rnd 1): P1, p2tog, p2, k2tog, p2, p2tog, p1 – 9 sts remain.

Rnds 21, 23, 25, and 27: Purl.

Rnd 22 (Dec Rnd 2): P1, p2tog, p3, p2tog, p1 – 7 sts remain.

Rnd 24 (Dec Rnd 3): P1, p2tog, p1, p2tog, p1 – 5 sts remain.

Rnd 26 (Dec Rnd 4): P2tog, p1, p2tog – 3 sts remain.

Rnd 28 (Dec Rnd 5): P3tog – 1 st remains.

BACK AND FRONT (both alike)

Cast on 184 (206, 228, 250) sts.

Beg Pattern: (WS) K2 (edge sts, keep in Rev St st), *work 4 sts in Small Cable, work 18 sts in Large Cable; rep from * to last 6 sts, work 4 sts in Small Cable, k2 (edge sts, keep in Rev St st). Work even until Row 135 of Large Cable is complete – 136 (152, 168, 184) sts.

Shape Armholes: (RS) Continuing in pattern, bind off 10 (13, 16, 19) sts at beg of next 2 rows – 116 (126, 136, 146) sts remain. Bind off all sts.

SLEEVES

Cast on 118 (140, 140, 162) sts.

Beg Pattern: (WS) K2 (edge sts, keep in Rev St st), *work 4 sts in Small Cable, work 18 sts in Large Cable; rep from * to last 6 sts, work 4 sts in Small Cable, k2 (edge sts, keep in Rev St st). Complete as for Back through armhole shaping – 78 (90, 84, 96) sts remain. Bind off all sts.

HORIZONTAL YOKE PANEL

Cast on 30 sts.

Beg Pattern: (WS) K2 (edge sts, keep in St st), work 4 sts in Small Cable, work 18 sts in Large Cable, work 4 sts in Small Cable, k2 (edge sts, keep in Rev St st). *Work even until Row 30 of Large Cable is complete, omitting decs on Row 30. Work Rows 1-30 of Large Cable 11 (12, 13, 14) more times, omitting decs on Row 30 (piece should measure about 48 (52, 56, 60)" from beg). Bind off all sts.

FINISHING

Block pieces to measurements.

Sew cast-on and bound-off edges of Horizontal Yoke Panel together.

Yoke: RS of Horizontal Yoke Panel facing, using 40" circular needle, beg at seam, pick up and knit 320 (352, 368, 384) sts evenly spaced along one edge of Panel. Join; place marker for

beg of rnd. **Note:** Change to shorter circular needles when necessary for number of sts on needle.

Beg Pattern: *Work 4 sts in Yoke Small Cable, work 12 sts in Yoke Large Cable; rep from * around. Work even until entire Yoke Large Cable is complete – 100 (116, 124, 132) sts remain. Bind off all sts in pattern.

Lay Back and Front on flat surface, with Back on bottom and wrong-sides together. Keeping seam of Horizontal Yoke Panel roughly at center Back, pin Panel to bound-off edge of Front so that cables of Yoke line up with cables of Front; pin in Sleeves and Back, easing all pieces to fit as necessary. Sew pieces to Horizontal Yoke Panel. Sew side, Sleeve, and underarm seams. Weave in ends.

